



Product Presentation



Application

Hydrostatic Tester is used to test the waterproof properties of fabric through waterproofing work such as canvas, coated fabrics, hood fabric, tarpaulin, rain-proof fabrics and geotextile.



Feature

- The pressure using dynamic feedback regulation effectively prevent pressure overshoot.
- Taiwan DELTA servo motor and drive system, 16-bit A / D conversion.
- Whole machine with aluminum alloy structure.
- Sensor protection : automatic overload protection (automatic switching of multi-sensor range).

Control Panel




Touch screen control panel

Control Handle



It is more convenient to record the pressure which water appears in the specimen and observe the testing.

Fixture With LED Lighting



Fixture with LED Lighting

Network Port



To connect with PC

Printer



Print out the test result

Front View



Front view of whole machine

Standards

AATCC 127 Option 2, ISO 811, ISO 1420, GB/T 4744, GB/T 9082, FZT 01004 ,
 DIN 53886 , EN 20811, EN 13726-3, EN 1734, BS 2823, WSP 80.6,
 JIS L1092-7.1.1 Method A, JIS L1092-7.1.2 Method B (require at lest 500kpa)

Key Specification

Model	GT-C26B-1	GT-C26B-2	GT-C26B-3
Testing range	200kpa	500kpa	1000kpa
Pressure resolution	1 /1000 ;		
Accuracy	≤1%		
Control mode	Touch screen control+PC Control		
Clamping method	Pneumatic clamping		
5 Testing modes	1) P. Rise 2) Const P & Timing 3) Const P & Time 4) Water Penetration 5) Fatigue		
Specimen area	100cm ² , or 7.8cm ² (Option)		
Testing unit	KPa, PIS, mmH ₂ O, cmH ₂ O, mbar		
Pneumatic clamping load	0-30000N (stepless adjustable)		
Pressurized speed	0.01Pa to 100KPa/min (stepless adjustable)		
Power supply	AC 220V 50/60HZ		
Dimensions	420x580x700mm (L x W x H)		
Weight	60 kg		

Accessories

Standard accessories	1Set	English operation software
	1pc	Cable connect with PC
	1Set	100cm ² testing set
	1Set	Calibration plate
	2pcs	Rubber ring
	1pc	Power Line
Optional accessories	Optional	Fixtures of other testing area

	Optional	Air compressor
	Optional	Windows system tablet PC

GESTER